

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation	Skewness
	Statistic	Statistic	Statistic	Statistic	Statistic	Statistic
A1	130	1	6	3,41	1,125	-,064
A2	130	1	7	2,99	1,611	,588
A3	130	2	7	5,68	1,121	-,792
A4	130	1	6	3,24	1,351	,034
A5	130	1	7	2,59	1,429	,944
A6	130	1	7	4,16	1,683	-,120
A7	130	1	7	3,32	1,459	,380
A8	130	2	7	5,68	1,215	-,724
A9	130	1	7	3,78	1,585	,314
A10	130	1	7	5,63	1,409	-,904
A11	130	2	7	5,66	1,097	-,582
A12	130	1	7	3,60	1,607	,380
A13	130	1	7	3,64	1,484	,109
A14	130	2	7	4,18	1,105	,151
A15	130	1	7	4,91	1,486	-,703
A16	130	1	7	3,59	1,456	,082
A17	130	1	7	2,62	1,389	,736
A18	130	1	7	4,16	1,374	-,023
A19	130	1	7	3,65	1,688	,501
A20	130	1	7	2,04	1,095	1,324
B1	130	2	7	4,62	1,136	-,245
B2	130	2	7	4,94	1,199	-,729
B3	130	3	7	5,06	,904	-,378
B4	130	2	7	4,88	1,194	-,202
B5	130	2	7	4,45	1,162	-,274
B6	130	2	7	4,90	1,167	-,159
Valid N (listwise)	130					

Descriptive Statistics

	Skewness	Kurtosis	
	Std. Error	Statistic	Std. Error
A1	,212	,034	,422
A2	,212	-,763	,422
A3	,212	,543	,422
A4	,212	-,627	,422
A5	,212	,368	,422
A6	,212	-,816	,422

A7	,212	-,176	,422
A8	,212	,022	,422
A9	,212	-,609	,422
A10	,212	,326	,422
A11	,212	-,230	,422
A12	,212	-,657	,422
A13	,212	-,683	,422
A14	,212	,208	,422
A15	,212	,038	,422
A16	,212	-,881	,422
A17	,212	-,063	,422
A18	,212	-,262	,422
A19	,212	-,800	,422
A20	,212	2,543	,422
B1	,212	-,520	,422
B2	,212	,269	,422
B3	,212	-,250	,422
B4	,212	-,375	,422
B5	,212	-,342	,422
B6	,212	-,402	,422
Valid N (listwise)			

Factor Analysis

Communalities^a

	Initial	Extraction
A1	,494	,391
A2	,571	,499
A3	,468	,429
A4	,657	,511
A5	,618	,943
A6	,671	,673
A7	,631	,595
A8	,549	,511
A9	,607	,565
A10	,703	,695
A11	,597	,733
A12	,697	,840
A13	,786	,781
A14	,524	,470
A15	,683	,697
A16	,633	,538
A17	,534	,477

A18	,473	,281
A19	,698	,701
A20	,622	,944
B1	,466	,280
B2	,341	,180
B3	,456	,291
B4	,513	,434
B5	,427	,369
B6	,465	,568

Extraction Method: Maximum Likelihood.^a

a. One or more communalitiy estimates greater than 1 were encountered during iterations. The resulting solution should be interpreted with caution.

Total Variance Explained

Factor	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	8,978	34,530	34,530	7,917	30,448	30,448
2	2,139	8,227	42,757	1,143	4,397	34,845
3	1,931	7,427	50,184	1,671	6,428	41,274
4	1,493	5,743	55,927	1,532	5,893	47,166
5	1,232	4,738	60,665	1,168	4,494	51,660
6	1,108	4,260	64,926	,964	3,708	55,368
7	,956	3,678	68,604			
8	,876	3,369	71,973			
9	,824	3,168	75,141			
10	,696	2,677	77,818			
11	,623	2,397	80,215			
12	,597	2,295	82,510			
13	,576	2,214	84,724			
14	,521	2,005	86,729			
15	,480	1,847	88,575			
16	,452	1,737	90,313			
17	,428	1,645	91,958			
18	,363	1,395	93,353			
19	,308	1,183	94,536			
20	,276	1,061	95,597			
21	,248	,954	96,551			
22	,227	,874	97,425			

23	,210	,807	98,232		
24	,192	,740	98,972		
25	,142	,547	99,520		
26	,125	,480	100,000		

Total Variance Explained

Factor	Rotation Sums of Squared Loadings		
	Total	% of Variance	Cumulative %
1	4,272	16,429	16,429
2	2,965	11,405	27,834
3	2,369	9,111	36,945
4	1,896	7,291	44,236
5	1,569	6,035	50,271
6	1,325	5,097	55,368
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			

Extraction Method: Maximum Likelihood.

Factor Matrix^a

	Factor					
	1	2	3	4	5	6
A1	,547	,056	-,039	,124	,266	-,039

A2	-,637	,229	-,182	,029	-,026	-,079
A3	,239	-,190	,090	,567	,040	,070
A4	,648	,216	,070	,040	,084	-,173
A5	-,707	,556	,363	,002	,020	,042
A6	,678	-,109	,293	-,018	,265	-,211
A7	,696	,147	,024	,016	,297	-,002
A8	,269	-,107	,214	,599	-,134	-,068
A9	-,636	,140	-,135	,040	,338	-,078
A10	,595	-,007	,558	,089	,099	-,110
A11	,263	-,066	,180	,779	-,127	,062
A12	-,605	,113	-,513	,173	,362	-,191
A13	,792	,024	,281	-,190	,163	-,104
A14	,619	,074	,127	,009	,243	,079
A15	,579	,090	,517	,106	,132	-,241
A16	-,667	,222	-,158	,087	,104	,003
A17	,528	,130	,285	-,195	,242	-,056
A18	,386	,237	,207	,098	,155	-,012
A19	-,695	,165	-,368	,175	,139	-,073
A20	,715	,592	-,271	,017	-,091	-,012
B1	,375	,168	-,058	,113	,029	,307
B2	,295	,158	,000	,047	,185	,178
B3	,262	-,019	,007	,109	,328	,320
B4	,402	-,157	-,046	-,006	,371	,329
B5	,471	,145	-,087	-,156	,130	,277
B6	,359	,002	-,033	,057	,346	,561

Extraction Method: Maximum Likelihood.^a

a. Attempted to extract 6 factors. More than 25 iterations required.

(Convergence=,027). Extraction was terminated.

Rotated Factor Matrix^a

	Factor					
	1	2	3	4	5	6
A1	,410	-,027	,295	,148	,238	-,240
A2	-,358	,459	-,257	-,134	-,035	,275
A3	,079	-,035	,170	,614	-,036	-,122
A4	,528	-,171	,108	,106	,397	-,147
A5	-,105	,344	-,214	-,131	-,103	,860
A6	,706	-,258	,168	,116	,024	-,257
A7	,539	-,124	,374	,061	,322	-,204
A8	,152	-,131	-,033	,683	,037	-,035
A9	-,179	,637	-,059	-,156	-,225	,219

A10	,675	-,397	,108	,262	-,008	,045
A11	,066	-,086	,079	,841	,087	,019
A12	-,298	,854	-,083	-,091	-,052	-,065
A13	,696	-,417	,220	-,035	,189	-,195
A14	,473	-,205	,374	,081	,203	-,128
A15	,741	-,283	,024	,248	,066	,047
A16	-,346	,532	-,132	-,098	-,100	,314
A17	,593	-,230	,218	-,108	,116	-,011
A18	,414	-,082	,179	,131	,209	,100
A19	-,426	,684	-,156	-,052	-,059	,143
A20	,303	-,126	,183	,003	,893	-,082
B1	,053	-,154	,377	,127	,308	,010
B2	,179	-,029	,331	,041	,190	,017
B3	,129	,000	,512	,102	,007	-,042
B4	,176	-,093	,587	,019	-,024	-,222
B5	,167	-,203	,430	-,130	,299	-,089
B6	,060	-,101	,739	,055	,070	-,024

Extraction Method: Maximum Likelihood.

Rotation Method: Varimax with Kaiser Normalization.^a

a. Rotation converged in 9 iterations.

Factor Transformation Matrix

Factor	1	2	3	4	5	6
1	,520	-,484	,310	,155	,455	-,410
2	,172	,265	-,009	-,151	,702	,620
3	,491	-,402	-,091	,177	-,455	,592
4	-,074	,290	,046	,949	,076	,041
5	,471	,602	,548	-,147	-,296	-,081
6	-,481	-,295	,770	,004	-,022	,297

Extraction Method: Maximum Likelihood.

Rotation Method: Varimax with Kaiser Normalization.

RECODE A2 A5 A9 A12 A16 A19 (1=7) (2=6) (3=5) (4=4) (5=3) (6=2) (7=1).
EXECUTE.

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Valid		130	100,0
Cases Excluded ^a		0	,0
Total		130	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,801	5

Item Statistics

	Mean	Std. Deviation	N
A2	5,01	1,611	130
A10	5,63	1,409	130
A12	4,40	1,607	130
A15	4,91	1,486	130
A18	4,16	1,374	130

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
A2	19,10	20,587	,558	,772
A10	18,48	20,282	,714	,723
A12	19,71	20,115	,599	,758
A15	19,20	19,650	,719	,719
A18	19,95	24,640	,352	,826

Scale: Atitudes Percebias

Case Processing Summary

		N	%
Cases	Valid	130	100,0
	Excluded ^a	0	,0
	Total	130	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,801	5

Item Statistics

	Mean	Std. Deviation	N
A2	5,01	1,611	130
A10	5,63	1,409	130
A12	4,40	1,607	130
A15	4,91	1,486	130
A18	4,16	1,374	130

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
A2	19,10	20,587	,558	,772
A10	18,48	20,282	,714	,723
A12	19,71	20,115	,599	,758
A15	19,20	19,650	,719	,719
A18	19,95	24,640	,352	,826

Scale: Normas subjetivas

Case Processing Summary

		N	%
Cases	Valid	130	100,0
	Excluded ^a	0	,0
	Total	130	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,759	3

Item Statistics

	Mean	Std. Deviation	N
A3	5,68	1,121	130
A8	5,68	1,215	130
A11	5,66	1,097	130

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
A3	11,34	4,334	,508	,764
A8	11,35	3,794	,568	,704
A11	11,36	3,768	,703	,549

Scale: Controllo Comportamental

Case Processing Summary

		N	%
Cases	Valid	130	100,0
	Excluded ^a	0	,0
	Total	130	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,804	6

Item Statistics

	Mean	Std. Deviation	N
A1	3,41	1,125	130
A7	3,32	1,459	130
A14	4,18	1,105	130
A5	5,41	1,429	130
A16	4,41	1,456	130
A20	2,04	1,095	130

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
A1	19,36	23,008	,550	,777
A7	19,45	19,768	,641	,754
A14	18,58	22,834	,583	,771
A5	17,36	21,147	,534	,781
A16	18,36	20,744	,554	,777
A20	20,73	23,315	,538	,779

Scale: Intenções Empreendedoras

Case Processing Summary

		N	%
Cases	Valid	130	100,0
	Excluded ^a	0	,0
	Total	130	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,856	6

Item Statistics

	Mean	Std. Deviation	N
A4	3,24	1,351	130
A6	4,16	1,683	130
A9	4,22	1,585	130
A13	3,64	1,484	130
A17	2,62	1,389	130
A19	4,35	1,688	130

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
A4	18,98	37,635	,600	,841
A6	18,05	33,199	,690	,824
A9	18,00	36,682	,532	,853
A13	18,58	33,316	,811	,802
A17	19,60	37,901	,560	,847
A19	17,87	33,060	,696	,823

Scale: Competências Específicas

Case Processing Summary

		N	%
Cases	Valid	130	100,0
	Excluded ^a	0	,0
	Total	130	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,720	6

Item Statistics

	Mean	Std. Deviation	N
B1	4,62	1,136	130
B2	4,94	1,199	130
B3	5,06	,904	130
B4	4,88	1,194	130
B5	4,45	1,162	130
B6	4,90	1,167	130

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
B1	24,22	14,531	,390	,700
B2	23,91	14,208	,393	,700
B3	23,78	15,070	,472	,680
B4	23,97	13,642	,468	,677
B5	24,40	13,808	,468	,676
B6	23,95	13,230	,543	,653