

Bibliografia

Abdi, H. (2003). Partial Least Square Regression (PLS-Regression). *Encyclopedia for Research Methods for the Social Sciences*. Thousand Oaks (CA): Sage.

Abdi, H. (2007). Discriminant Correspondence Analysis. In N.J. Salkind (Ed.): *Encyclopedia of Measurement and Statistics*. Thousand Oaks (CA): Sage. pp. 270-275.

Aitchison, J. (1980). Relative variation diagrams for describing patterns of variability in compositional data. *Mathematical Geology* 22, 487-512.

Aitchison, J. (1986). *The statistical Analysis of Compositional Data*. Londres, Chapman and Hall.

Andrews, D. (1972). Plots of high dimensional data. *Biometrics* 28, 125-136.

Bar-Hen, A. (2002). Generalized principal component analysis of continuous and discrete variables, *Interstat-Statistics on the internet*, 1.

Bavaud, F. (2004). Generalized factor analysis for contingency tables. *Classification, Clustering and Data Mining Applications*, 597-606.

Beh, E. (1997). Simple correspondence analysis of ordinal cross-classifications using orthogonal polynomials. *Biometrical Journal* 39, 589-613.

Beh, E. (1998). A comparative study of scores for correspondence analysis with ordered categories. *Biometrical Journal* 40, 413-429.

Beh, E. (1999). Correspondence analysis of ranked data. *Communication in Statistics theory and Methods* 28, 1511-1533.

Beh, E. (2004a). Simple correspondence analysis: A bibliographic review. *International Statistical Review*.

- Beh, E. (2004b). S-Plus code for ordinal correspondence analysis. *Computational Statistics* (aguarda publicação).
- Benzécri, J. (1969). Statistical analysis as a tool to make patterns emerge from data. *Methodologies of Pattern Recognition*, 35-74.
- Benzécri, J. (1973). *L'Analyse de Données*, Tome 1 et 2. Dunod, Paris.
- Benzécri, J. (1982). *Histoire et préhistoire de l'analyse des données*. Dunod, Paris.
- Benzecri, J. (1983). Analyse de l'inertie intraclasse par l'analyse d'un tableau de contingence, *Cahiers de l'analyse des Données* 8, 351-358.
- Benzécri, J. (1992). *Correspondence Analysis Handbook*. New York, Marcel Dekker.
- Best, J. e Rayner, C. (1994). Analysis of Ordered Contingency Tables Via Orthogonal Polynomials. Department of Applied Statistics, University of Wollongong.
- Boik, R. (1996). Na efficient algorithm for joint correspondence analysis. *Psychometrika* 53, 225-269.
- Box, G. e Cox, D. (1964). Na analysis of transformations (with discussion). *Journal of Royal Statistical Society B-35*, 473-479.
- Constantine, A. e Gower, J. (1978). Graphical representation of asymmetry. *Applied Statistics* 27, 297-304.
- Crámer, H. (1946). *Mathematical Methods of Statistics*. Princeton University Press.
- D'Ambra, L. e Lauro, N. (1989). Non symmetrical analysis of three-way contingency tables. *Multiway Data Analysis*, 301-315.
- De Leeuw, J. (1973). *Canonical Analysis of categorical data*. Dsw0, Lenden.
- De Leeuw, J. (1983). *On the prehistory of correspondence analysis*. *Statistica Neerlandica* 4, 161-164.
- De Leeuw, J. e Van der Heijden, P. (1991). Reduced rank models for contingency tables. *Biometrika* 78, 229-232.
- De Leew, J. e Groenen, P. (1997). Inverse Multidimensional Scaling. *Journal of Classification* 14, 3-21.
- Escofier, B. (1978). Analyse factorielle et distances répondant au principe d'équivalence distributionnelle. *Reveu de Statistique Appliquée* 26, 29-37.

- Escofier, B. e Pagès, J. (1998). *Analyses factorielles simples et multiples*. Paris, Dunod.
- Everitt, B. (1992). *The Analysis of contingency Tables*. London, Chapman and Hall.
- Ferreira, P. (2006). *Análise de Correspondências: uma Perspectiva em Torno do Método e as suas Aplicações*. Dissertação de Mestrado em Estatística. Instituto Superior Técnico da Universidade Técnica de Lisboa.
- Fiedler, J. (1996). A comparison of correspondence analysis and discriminant analysis - based maps. *American Marketing Association: Advanced Research Techniques Forum*. Beaver Creek, CO.
- Fisher, R. (1940). The precision of discriminant functions. *Annals of Eugenics* 10, 422-429.
- Gabriel, K. (2002). Goodness of fit of biplots and correspondence analysis. *Biometrika* 89, 423-436.
- Gifi, A. (1990). *Nonlinear Multivariate Analysis*. London, Joh wiley and Sons.
- Gilula, Z. e Haberman, S. (1988). The analysis of multivariate contingency tables by restricted canonical and restricted association models. *Journal of the American Statistical Association* 83, 760-771.
- Goodman, L. (1987). New methods for analyzing the intrinsic character of qualitative variables using cross-classified data. *American Journal of Sociology* 93, 529-583.
- Gower, J. (1992). Generalized biplots. *Biometrika* 79, 475-493.
- Gower, J. e Hand, D. (1996). *Biplots*. London, Chapman and Hall.
- Green, P. e Carrol, J. (1996). *Mathematical Tools for Applied Multivariate Analysis*. Academic Press, New York.
- Greenacre, M. (1984). *Theory and Applications of Correspondence Analysis*, Academic Press, London.
- Greenacre, M. (1988). Correspondence analysis of multivariate categorical data by weighted least squares. *Biometrika*, 75, 457-467.
- Greenacre, M. (1996). *An Adaptation of Correspondence Analysis for Square Tables*. Working papper number 189, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

Greenacre, M. (2000). Correspondence Analysis of Square Asymmetric Matrices, *Applied Statistics* 49, 297-310.

Greenacre, M. (2001). Analysis of Matched Matrices. Working paper number 539, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

Greenacre, M. (2002). Ratio Maps and Correspondence Analysis. Working paper number 598, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

Greenacre, M. (2003). Singular value decomposition of matched matrices. *Journal of Applied Statistics* 30, 1101-1113.

Greenacre, M. (2005). From Correspondence Analysis to Multiple and Joint Correspondence Analysis. Working paper number 883, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

Greenacre, M. (2006). Tying Up the Loose Ends in Simple Correspondence Analysis. Working paper number 940, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

Greenacre, M. (2007). Power transformations in correspondence analysis. *Journal of Computational Statistics & Data Analysis*. (Aguarda publicação).

Greenacre, M. e Aitchison, J. (2001). Biplots of Compositional Data. Working paper number 557, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

Greenacre, M. e Blasius, J. (1994). *Correspondence Analysis in the Social Sciences*. Academic Press, Londres.

Greenacre, M. e Lewi, P. (2005). Distributional Equivalence and Subcompositional Coherence in the Analysis of Contingency Tables, Ratio-Scale Measurements and Compositional Data. Working paper number 908, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

Greenacre, M. e Pardo, R. (2004). Subset Correspondence Analysis: Visualizing Relationships Among a Selected Set of Response Categories from a Questionnaire Survey. Working paper number 791, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

Greenacre, M. e Pardo, R. (2005). Multiple Correspondence Analysis of a Subset of Response Categories. Working paper number 881, Department of Economics and Business, Universitat Pompeu Fabra, Barcelona.

- Groenen, P. e Van de Velden, M. (2002). Inverse correspondence analysis. *Econometric Institute Report*, 31.
- Guttman, L. (1941). An outline of statistical theory of predictions. *The Prediction of Personal Adjustment*. Social Science Research Council, New York.
- Heijden, P. (1987). *Correspondence Analysis of Longitudinal Categorical Data*. Leiden, DSWO Press.
- Heijden, P. e De Leeuw, J. (1985). Correspondence analysis used complementary to log-linear analysis. *Psychometrika* 50, 429-447.
- Heijden, P., et al. (1989). A combined approach to contingency table analysis using correspondence analysis and log-linear analysis. *Applied statistics* 38, 249-292.
- Higgs, N. (1990). Practical and innovative uses of correspondence analysis. *The Statistician* 40, 183-184.
- Hill, M. (1973). Reciprocal averaging: an eigenvector method of ordination. *Journal of Ecology* 61, 237-249.
- Hill, M. (1974). Correspondence analysis a neglected multivariate method. *Journal of the Royal Statistical Society*, C-23, 340-354.
- Hill, M. e Gauch, H. (1980). Detrended correspondence analysis: an improved ordination technique. *Vegetatio* 42, 47-58.
- Hirschfeld, H. (1935). A connection between correlation and contingency. *Mathematical Proceedings of the Cambridge Philosophical Society* 31, 520-524.
- Hodges, J. e Warlow, C., (1990). Syndromes of transient Amnesia: Towards a classification - A study of 153 Cases. *J. Neurol Neurosurg Psychiatry* 53, 834-843.
- Horst, P. (1935). Measuring complex attitudes. *Journal of Social Psychology* 6, 369-374.
- Hotelling, H. (1933). Analysis of a complex of statistical variables into principal components. *Journal of Education, Psychology* 24, 417-441.
- Jobson, J. (1992). *Applied Multivariate Data Analysis, vol 2*. New York, Springer Verlag.
- Kazmierczak, J. (1988). Analyse logarithmique: deux exemples d'application. *Revue de Statistique Appliquée* 33, 13-24.

- Kendall, M. (1971). *A course in the Geometry of n Dimensions*. Statistical Monograph n°8, Griffin, Londres.
- Khattre, R. e Naik, D. (2001). Andrews plots for multivariate data: Some new suggestions and applications. To appear in *Journal of Statistical Plannung and Inference*.
- Kroonenberg, P. e Lombardo, R. (1999). Nonsymmetric correspondence analysis: a tool for analyzing contingency tables with dependence structure. *Multivariate Behavioral Research* 34, 367-396.
- Lebart, L. (1975). L'orientation du dépouillement de certaines enquêtes par l'analyse des correspondance multiples. *Consommation* 2, 73-96.
- Lebart, L. (1976). The significance of eigenvalues issued from correspondence analysis. *Proceedings in Computational Statistics*, 38-45.
- Lebart, L., et al. (1977). *Techniques de la Description Statistique: Methods et Logiciels Pour l'Analyse des Grands Tableaux*. Paris, Dunod.
- Lebart, L., et al. (1984). *Multivariate Descriptive Statistical Analysis*. Wiley, Londres.
- Lewi, P. (1976). Spectral mapping, a technique for classifying biological activity profiles of chemical compounds. *Arzneim Forsch* 26, 1925-1300.
- Lewi, P. (1980). Multivariate data analysis in APL. *Proceedings of APL-80 Conference*, 267-271.
- Lorenzo-Seva, U., et al. (2007). Oblique rotation in correspondence analysis: a step forward in the search of the simplest interpretation. *Econometric Institute Report*, 25.
- Mardia, K., et al (1979). *Multivariate Analysis*. Londres, Academic Press.
- Martín-Fernández, J., et al. (2003). Dealing with zeros and missing values in compositional data sets. *Mathematical Geology* 35, 253-278.
- Melo, P., Ferro, J. e Ferro, H. (1992). Transient Global Amnesia, A Case Control Study. *Brain* 115, 261-270. Oxford University Press, London.
- Meulman, J. (1982). *Homogeneity Analysis of Incomplete Data*. Leiden, DSWO Press.
- Murtagh, F. (2005). *Correspondence Analysis and Data Coding with Java and R*. Chapman & Hall/CRC, Boca Raton, FL.

- Nakayama, T. e Naito, K. (1998). Stability of correspondence analysis and its alternative using Hellinger distance for contingency table. *International Journal of Mathematics and Statistical Science* 7, 97-119.
- Nishisato, S. (1980). *Analysis of Categorical Data: Dual Scaling and its Applications*. Toronto, University of Toronto Press.
- Pearson, K. (1901). On lines and planes of closest fit to system of points in space. *Philosophical Magazine and Journal of Science* 2, 559-572.
- Pearson, K. (1906). On certain points connected with scale order in the case of a correlatiom of two characters which for some arrangment give a linear regression line. *Biometrika* 5, 176-178.
- Quinette, P., et al. (2006). What Does Transient Global Amnesia Really Mean? Review Of The Literature And Thorought Study Of 142 Cases. *Brain*, nº 129, pp. 1640-1658. *Oxford University Press*, London.
- Rao, C. (1995). A review of canonical coordinates and an alternative to correspondence analysis using hellinger distance. *Qüestiió* 19, 23-63.
- Santos, E. (1994). *Análise Factorial de Correspondências*. Dissertação Mestrado em Probabilidades e Estatística, Departamento de Estatística e Investigação Operacional, Faculdade de Ciências da Universidade de Lisboa.
- Soares, R. (1999). Factorial correspondence analysis: an application to a three-dimensional contingency table. *Revista de Estatística* 11, 67-85.
- Spearman, C. (1904). General intelligence, objectively determined and measured. *American Journal of Psychology* 15, 201-293
- Takane, Y., et al. (1991). Relationships among several methods of linearly constrained correspondence analysis. *Psychometrika* 56, 667-684.
- Tateneni, K. e Browne, M. (2000). A noniterative method of joint correspondence analysis. *Psychometrika* 65, 157-165.
- Tenenhaus, M. e Young, F. (1985). An Analysis and Synthesis of Multiple Correspondence Analysis, Optimal Scaling, Dual Scaling, Homogeneity Analysis and Other Methods for Quantifying Categorical Multivariate Data. *Psychometrika*, vol. 50, nº1, pp. 91-119.
- Ter Braak, C. (1985). Correspondence analysis of incidence and abundance data: properties in terms of a unimodal response model. *Biometrics* 41, 859-873.

- Ter Braak, C. (1986). Canonical correspondence analysis: a new eigenvector technique for multivariate direct gradient analysis. *Ecology* 67, 1167-1179.
- Ter Braak, C. (1988). Partial canonical correspondence analysis. *Classification and Related Methods of Data Analysis*, 551-558.
- Thurstone, L. (1935). *The vectors of mind*. Chicago University Press, Chicago.
- Van de Velden, M. e Kiers, H. (2003). An application of rotation in correspondence analysis. *New Developments in Psychometrics*, 471-478.
- Vaz, A.(2006). *Análise das Correspondências Múltiplas, Inquérito à Satisfação dos Clientes dos Serviços Municipalizados de Água e Saneamento de Loures*. Dissertação de Mestrado em Probabilidades e Estatística, Departamento de Estatística e Investigação Operacional, Faculdade de Ciências da Universidade de Lisboa.
- Vermunt, J. e Anderson, C. (2005). Joint Correspondence Analysis by Maximum Likelihood. *Methodology*, Vol. 1, pp. 18-26. Hogrefe & Huber Publishers.
- Vidal, R., et al. (2005). Generalized principal component analysis. *IEEE Transactions on PAMI* 27-12, 1945-1959.